

## **Facade**

### **Natural wood for exteriors** \_\_ Madera natural para exterior

Facade is a high density laminate timber panel. The outer layer is highly resistant and features a unique component, Everlook®, which provides longevity and colour stability. Facade is a ventilated façade system. Facade es un tablero estratificado de madera de alta densidad. La capa exterior, de alta resistencia, incorpora un componente exclusivo, Everlook®, que aporta longevidad y estabilidad cromática. Facade es un sistema de fachada ventilada.



## **Facade**

**Natural wood for exteriors \_\_ Madera natural  
para exterior**

**Parklex®**

**Edition and production****Edición y producción**

Composites Gurea S.A.

**Coordination****Coordinación**

Mirari Olaizola,

Jaume Ramirez

**Texts****Textos**

Alberto López-Amor

**Photography****Fotografía**

Luc Boegly

Xavier García i Marli

Jesús Martín Ruiz

Nathaniel McMahon

**Art direction and design****Dirección artística y diseño**

Ramírez i Carrillo

**Print****Impresión**

Gráficas Ulzama

**Parklex**

COMPOSITES GUREA, S.A.

Zalain auzoa, 13 - 31780 Bera - Navarra - Spain

Tel. +34 948 625 045 - Fax. +34 948 625 015

parklex@parklex.com - **www.parklex.com**

Aware of the importance of protecting the environment through responsible and sustainable production, Parklex has obtained the PEFC standard. Parklex's contribution to sustainable maintenance and improvement of forests and the environment. Conscientes de la importancia de cuidar el medioambiente para una producción responsable y sostenible, Parklex cuenta con el certificado PEFC. Parklex está colaborando con el mantenimiento sostenible y mejora de los bosques y del medio ambiente.



**Thorough knowledge of our work from its foundation, the wood, along with an active commitment to the interests and aspirations of design and construction professionals. These are the two core values that support over 40 years' experience and now decidedly boost Parklex's activity.**

**From origin to destination, from natural wood to architectural application, we develop sustainable, innovative production aimed at changing requirements. The result of the process is a wide range of products and finishes for façades and indoor panelling. Its outstanding features are quality materials, easy installation, resistance to moisture and to intensive use, optimal maintenance and an aesthetic appeal appreciated by architects from around the world.**

**Nowadays, Parklex products constitute renowned and admired solutions for all types of buildings. On their exteriors, surfaces, walls, floors and ceilings. In the Guggenheim Museum Bilbao, Liverpool Airport, the Congress Centre and Auditorium of Navarra and the Air France Lounge at Tokyo Airport. In wine cellars, hotels, swimming pools and cultural centres. In official institutions, business parks and private homes. In any building where wood is architecture.**

A handwritten signature in black ink, appearing to read "Juan Azcue".

**Juan Azcue**  
Director

Un conocimiento profundo de nuestro trabajo desde su base, la madera, y un compromiso activo con los intereses y las aspiraciones de los profesionales del diseño y la construcción. Son los dos valores esenciales que apoyan una experiencia de más de 40 años y que hoy impulsan decisivamente la actividad de Parklex.


Entre el origen y el destino, entre la madera natural y la aplicación arquitectónica, se desarrolla una producción sostenible, innovadora, orientada a requisitos cambiantes. El resultado del proceso es un conjunto muy amplio de productos y acabados para revestir fachadas e interiores. Sus rasgos destacados son la calidad material, una fácil instalación, resistencia a la humedad y al uso intensivo, un mantenimiento óptimo y un sentido estético apreciado por arquitectos de todo el mundo.

Hoy los productos Parklex conforman soluciones reconocibles y admiradas en todo tipo de edificios. En su exterior, sobre sus superficies, en sus paredes, suelos y techos. En el Museo Guggenheim de Bilbao y en el aeropuerto de Liverpool, en el Palacio de Congresos de Navarra y en la Sala Vip de Air France en el aeropuerto de Tokyo. En bodegas y hoteles, en piscinas y centros culturales. En sedes de instituciones, en complejos de oficinas y en viviendas particulares.

En cualquier edificación donde la madera sea arquitectura.

A handwritten signature in black ink, appearing to read "Juan Azcue".

**Juan Azcue**  
Director




**Enfolding architecture in a stable and sturdy covering that projects a sound and natural appearance in coexistence with its surroundings. These are the aims of **Facade**, which technically is a high density laminate timber panel. Manufactured from kraft paper treated with thermoset resins, pressed under high pressure and temperature and finished with natural timber veneers highly resistant to UV radiation and atmospheric agents. Facade includes Everlook®, a special overlay that dramatically increases the normal life of the panel, improving UV resistance and colour stability. It also allows for the development of new panels with an extensive range of finishes.**

Envolver la arquitectura con un recubrimiento estable y duradero que proyecte una imagen de solidez y naturalidad en la convivencia con su entorno. Estos son los objetivos de la solución **Facade**, que técnicamente consiste en un tablero estratificado de madera de alta densidad. Está constituido interiormente por fibras de papel tratadas con resinas termoendurecidas, comprimidas a altas presiones y temperaturas, y un revestimiento exterior de alta resistencia a la radiación UV y a los agentes atmosféricos. Incorpora Everlook®, un componente que aporta una mayor longevidad a la madera frente a cualquier condición climática, mejora la estabilidad de los colores y permite disponer de nuevos acabados.

## Facade construction

Construcción Facade

**High-density stratified timber panels for external use**  
Tablero estratificado de madera de alta densidad para exteriores



**A**

PVDF Antigraffiti overlay \_\_ Film  
PVDF Antigraffiti

**B**

**Everlook®**

**C**

Natural timber veneer \_\_ Chapa de  
madera natural

**D**

HPL balancer \_\_ Revestimiento  
baquelizado de contracara


**E**

Natural timber veneer \_\_ Chapa de  
madera natural

**F**

Balancing film \_\_ Film protector de  
contracara

# Facade is a ventilated façade system \_\_Facade es un sistema de fachada ventilada



- A.** Facade panel \_\_Panel Facade
- B1.** Metal batten \_\_Rastrel metálico vertical
- C.** Adjusting base \_\_Escuadra
- D.** Isolation \_\_Aislante
- E.** Screw \_\_Tornillo
- M.** Perforated profile \_\_Rejilla
- L.** Metallic plate \_\_Chapa metálica

This is a bioclimatic architecture solution that takes the surrounding climatic and natural conditions into account to minimize environmental impact. Its main advantage is energy efficiency. In addition to providing thermal insulation, it reduces heat dissipation in the cold months and heat absorption in the warmer months, resulting in a marked improvement in comfort. These advantages, coupled with a sophisticated and appealing appearance, make the ventilated façade the ideal system for building renovations.

Se trata de una solución de arquitectura bioclimática que tiene en cuenta las condiciones climáticas y naturales del lugar para minimizar el impacto ambiental. Su principal ventaja es la eficiencia energética. Además de proporcionar aislamiento térmico, reduce la dispersión de calor en los meses fríos y la absorción de calor en los meses cálidos, lo que se traduce en una clara mejora del confort. Estos beneficios, unidos a su estética avanzada y atractiva, hacen de la fachada ventilada el sistema idóneo en rehabilitación de edificios.

## **Resistance \_\_ Resistencia**

The European Standard EN 438-6:2005 specifies that exterior-grade compact laminates such as Facade should provide specific resistance to weather conditions according to the Resistance to Artificial Weathering Test. After 3,000 hours of exposure, the material should have a rating variation of  $\geq 4$  in appearance and a rating of  $\geq 3$  in contrast. Facade attains these values following exposure of up to 4 times those required by the standard. \_\_ La norma europea EN 438-6:2005 especifica que los revestimientos exteriores compactos como Facade deben ofrecer una determinada resistencia a la intemperie según el Ensayo de Resistencia a la Intemperie Artificial. Tras 3.000 horas, el material tiene que tener una variación de grado  $\geq 4$  en aspecto y grado  $\geq 3$  en contraste. Facade consigue estos valores tras una exposición de hasta 4 veces lo requerido por la norma.

<b>Permeability __ Permeabilidad</b>	<b>Water protection __ Protección frente al agua</b>	<b>Thermal insulation __ Aislamiento térmico</b>	<b>Solar protection __ Protección solar</b>	<b>Acoustic protection __ Protección acústica</b>
Moving air diffuses water vapour from the inside out and facilitates the 'breathing' of the façade, preventing condensation from forming behind the panels. __ El aire en movimiento difunde el vapor de agua desde el interior al exterior y facilita la transpiración de la fachada, lo que evita las condensaciones detrás de los paneles.	Moving air provides protection from the elements, because it assists in preventing rain water from infiltrating the building structure. __ El aire en movimiento proporciona una mayor protección a la intemperie, porque impide la infiltración de agua de lluvia en la estructura del edificio.	The load-bearing structure is insulated from the exterior structure, eliminating thermal bridges. In this manner, temperature fluctuations are reduced in the interior, leading to energy savings. __ Aísla la estructura portante de la estructura exterior, eliminando los puentes térmicos. De esta forma se reducen las fluctuaciones de temperatura en el cerramiento interior, con el consiguiente ahorro energético.	Thermal comfort is improved inside the building by preventing overheating in the summer, as it facilitates 'breathing' of the façade. This assists by reducing the amount of thermal energy that reaches the inside of the building. The internal structure is protected from direct radiation and from the elements. __ Mejora el confort térmico interior del edificio, evitando el sobrecalentamiento en verano, porque facilita la transpiración de la fachada y se reduce la cantidad de energía térmica que llega al interior del edificio. Protege la estructura interna de las radiaciones directas y de las inclemencias meteorológicas.	Since this is a compound system with several layers, noise absorption is created. __ Al ser un sistema compuesto con varios estratos, genera una mayor absorción del ruido.



## **Technical characteristics**

Características técnicas

### **Panel dimension** \_\_ Dimensiones del panel

2440 x 1220 mm.



### **Surface characteristics** \_\_ Acabado superficial

**Smooth.** Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ **Liso.** Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

**Finish range** \_\_Gama de acabados



**Ambar**



**Antra**



**Copper**



**Gold**




**Onix**



**Quartz**




**Rubi**



**Silver**

Parklex is manufactured from fine timber veneers, therefore the colour and grain of different batches will exhibit natural variations. Due to the limitations of printed media, the finishes printed in this catalogue are merely an approximation of their real color. For this reason, before placing any order, Parklex recommends consulting our sales personnel to request actual samples. \_\_Dado que Parklex está constituido básicamente por maderas nobles, los colores y el veteado de las diferentes partidas pueden sufrir las variaciones naturales de las maderas. Debido a las limitaciones de los soportes impresos, los acabados impresos en este catálogo son una aproximación al color real. Por ello, antes de realizar un pedido, Parklex recomienda consultar con nuestros comerciales para solicitar muestras físicas.

**Thicknesses** \_\_ Espesores



Other thicknesses may be available upon request. \_\_ Otros espesores a consultar.

<b>Product</b> __ Producto	<b>Clasificación</b> __ Classification
Facade F1	B-s1, d0
Facade F	B-s2, d0
Facade S	C-s2, d0

### **Fire safety** \_\_ Seguridad frente al fuego

The basic safety requirements reduce the risk of damage caused by accidental fire due to the characteristics of the project, construction, use and maintenance of the building to acceptable limits. In this sense, Parklex Facade reports the best possible results for organic materials, according to the European Standard EN 13501: Reaction to fire. \_\_ Las exigencias básicas de seguridad reducen a límites aceptables el riesgo de sufrir daños derivados de un incendio accidental como consecuencia de las características del proyecto, construcción, uso y mantenimiento del edificio. En este sentido, Parklex Facade registra los mejores resultados posibles para materiales orgánicos, según la normativa europea EN 13501 de Reacción al fuego.



# **Facade**

**Projects** \_\_ **Proyectos**

**Housing** \_\_ **Viviendas** / ITAR Architectures / Paris, France \_\_ Francia / **John Lennon Airport** / Leach Rhodes Walker / Liverpool, United Kingdom \_\_ Reino Unido / **St. Pauls Square** / RHWL Architects / Liverpool, United Kingdom \_\_ Reino Unido / **Student halls of residence** \_\_ **Residencia para estudiantes** / Michel, Wolf & Partner Architects / Würzburg, Germany \_\_ Alemania / **MUA Alicante University Museum** \_\_ **MUA Museo de la Universidad de Alicante** / Alfredo Paya / Alicante, Spain \_\_ España / **Tianjin Zero power-wasting building** / Lai Jun / Tianjin, China / **Stoperingaten 25** / Alliance Arkitekt / Norway \_\_ Noruega / **Fast Line Tel Aviv building** \_\_ **Edificio de Fast Line Tel Aviv** / Amir Mann - Ami Shinar Architects & Planners Ltd. / Tel Aviv \_\_ Israel / **House in Cyprus** \_\_ **Casa en Chipre** / Simpraxis Architects / Cyprus \_\_ Chipre / **San Francisco Plaza Apartments** / Leddy Maytum Stacy Arquitects & Paulett Taggart Arquitects / San Francisco, U.S. \_\_ E.E.U.U.

# Housing \_\_ Viviendas / ITAR Architectures / Paris, France \_\_ Francia



Parklex

Product \_\_ Producto

Surface characteristics \_\_ Acabado superficial

Finition \_\_ Acabado

## Facade

### Smooth \_\_ Liso

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### Copper







# **John Lennon Airport / Leach Rhodes Walker / Liverpool, United Kingdom \_\_Reino Unido**



**Parklex**

Product \_\_Producto

Surface characteristics \_\_Acabado superficial

Finition \_\_Acabado

## **Facade**

### **Smooth \_\_Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Copper**



# **St. Pauls Square / RHWL Architects / Liverpool, United Kingdom \_\_Reino Unido**



Parklex

Product \_\_ Producto

Surface characteristics \_\_ Acabado superficial

Finition \_\_ Acabado


## **Facade**

### **Smooth \_\_ Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Copper**







# **Student halls of residence** \_\_Residencia para estudiantes / Michel, Wolf & Partner Architects / Würzburg, Germany \_\_Alemania



Parklex

Product \_\_ Producto

Surface characteristics \_\_Acabado superficial

Finition \_\_Acabado

## **Facade**

### **Smooth \_\_ Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Onix**







# **MUA Alicante University Museum \_\_MUA Museo de la Universidad de Alicante / Alfredo Paya / Alicante, Spain \_\_España**



Parklex

Product \_\_Producto

Surface characteristics \_\_Acabado superficial


Finition \_\_Acabado

## **Facade**

### **Smooth \_\_Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Copper**







# Tianjin Zero power-wasting building / Lai Jun / Tianjin, China



Parklex

Product \_\_ Producto

Surface characteristics \_\_ Acabado superficial


Finition \_\_ Acabado

## Facade

### Smooth \_\_ Liso

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### Copper



# **Stoperingaten 25 / Alliance Arkitekt / Norway \_Noruega**



Parklex

Product \_Producto

Surface characteristics \_\_Acabado superficial

Finition \_\_Acabado

## **Facade**

### **Smooth \_\_Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Ambar**



**Fast Line Tel Aviv building** \_\_ **Edificio de Fast Line Tel Aviv /**  
**Amir Mann - Ami Shinar Architects & Planners Ltd. /**  
**Tel Aviv** \_\_ **Israel**



**Parklex**

Product \_\_ Producto

Surface characteristics \_\_ Acabado superficial

Finition \_\_ Acabado


**Facade**

**Smooth** \_\_ Liso

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

**Gold**







# **House in Cyprus** \_\_Casa en Chipre / Simpraxis Architects / Cyprus \_\_Chipre



Parklex

Product \_\_Producto

Surface characteristics \_\_Acabado superficial

Finition \_\_Acabado

## **Facade**

### **Smooth \_\_Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

### **Gold**







# **San Francisco Plaza Apartments / Leddy Maytum Stacy Arquitects & Paulett Taggart Arquitects / San Francisco, U.S.**

E.E.U.U.



Parklex

Product \_\_ Producto

Surface characteristics \_\_ Acabado superficial

Finition \_\_ Acabado

## **Facade**

### **Smooth \_\_ Liso**

Traditional Parklex finish. Reveals the simple, natural beauty of the wood it is manufactured with. \_\_ Acabado tradicional de Parklex. Revela la riqueza sencilla y natural de la madera con la que se fabrica.

**Copper, Gold, Rubi**







## A responsible production

**Parklex's constant work and dedication in all areas of development and production are combined to offer a product and service that meets the standards of even the most demanding architects. The advantages offered by Parklex are evident from the moment it is installed, up to its long-term maintenance.**

**Parklex products can be used both indoors and outdoors, where they are subjected to constant wear from sunlight, moisture and abrasion in traffic areas. Accordingly, a large part of the R+D effort and investment is assigned to guaranteeing the durability and stability of Parklex facings.**

**Our concern for sustainable production that is respectful of the environment has earned Parklex the guarantee of PEFC certification. This prestigious Chain of Custody certification guarantees Parklex's contribution to sustainable maintenance and improvement of forests and the environment.**

**With this certification Parklex proves its commitment to responsible, eco-friendly growth. In addition, all the innovations included in the new product ranges launched conform to this philosophy of respect for the environment and sustainable production that guarantees resource availability for many years to come.**



## **Una producción responsable**

**El trabajo y la dedicación constante de Parklex en todos los ámbitos del desarrollo y de la producción, se conjugan para lograr ofrecer un producto y un servicio de calidad. Parklex ofrece ventajas fundamentales, no solo en la calidad y el rendimiento de sus productos, sino también en el momento de su instalación y su mantenimiento a lo largo del tiempo.**

**Los productos Parklex son aplicables tanto en el exterior como en el interior y están sometidos a constante desgaste producido por el sol, la humedad o la abrasión en zona de tránsito. Por ello, gran parte de los esfuerzos e inversiones en I+D se destinan a garantizar la durabilidad e inalterabilidad de los revestimientos Parklex.**

**La preocupación por una producción sostenible y respetuosa con el medio ambiente ha permitido que Parklex cuente con la certificación PEFC que lo garantiza. Esta prestigiosa certificación de la cadena de custodia, garantiza que Parklex está colaborando con el mantenimiento sostenible y mejora de los bosques y del medio ambiente.**

**Con esta certificación, Parklex demuestra su apuesta por un crecimiento responsable y no dañino para la naturaleza. Además, todas las innovaciones que incorporan las nuevas gamas de producto que se lanzan siguen esta filosofía de respeto del medio ambiente y de producción sostenible que garantice los recursos durante muchos años.**



### **Production process \_\_ Proceso productivo**

Each type of Parklex is subjected to a different production process, depending on its final application: interiors, exteriors, damp areas, etc. The base is always high-density laminated wood with a paper fiber core that has been treated with thermosetting resins and compressed at high pressure and temperature. \_\_Cada tipo de Parklex es sometido a un proceso de producción diferente en función de la aplicación final: interior, exterior, zonas húmedas, etc. La base es siempre un estratificado de madera de alta densidad constituido interiormente por fibras de papel tratadas con resinas termoendurecidas y comprimidas a altas presiones y temperaturas.

### **Natural wood \_\_ Madera natural**

The surface is always made from 100% natural wood, treated according to its application: to resist special weather conditions or to perfectly resist the intensive use it might receive in interiors. \_\_La cara superficial es siempre de madera 100% natural, tratada de manera diferente en función de su aplicación: para resistir las especiales exigencias de intemperie o para aguantar perfectamente el uso intensivo al que se puede ver sometida en el interior.

### **Finishes \_\_ Acabados**

Perfect adaptation to the project design is an essential requirement. That's why the technology used to manufacture Parklex allows us to apply different finishes, all in natural wood, to integrate them completely into the environment that is required for each project. \_\_Adaptarse perfectamente al diseño del proyecto es un requisito imprescindible. Así, la tecnología empleada en la fabricación de Parklex permite realizar diferentes acabados, todos ellos de madera natural, para integrarse totalmente en el ambiente requerido en cada zona.

### **Range \_\_ Gama**

The variety of finishes and colors in natural and dyed panels sets Parklex apart as a result of its versatility, making it the ideal covering from any type of project. \_\_La variedad de acabados y colores en chapa natural y teñida diferencia a Parklex por su versatilidad, haciéndolo el revestimiento ideal para cualquier tipo de proyecto.

### **International \_\_ Internacional**

Providing service on an international level has meant establishing an extensive network of Parklex distributors on all five continents. This allows us to work more closely with our clients and offer them better service in a way that is more accessible to them. It also lets us understand their needs perfectly and first hand. \_\_Dar servicio a escala internacional ha requerido disponer de una extensa red de distribuidores de Parklex que abarca los cinco continentes. Ésto posibilita trabajar más cerca de nuestros clientes y ofrecerles así un servicio mejor y más cercano, además de que nos permite conocer perfectamente y de primera mano sus necesidades.

### **Guarantees / Quality certificates \_\_ Garantía / Certificados de calidad**

Rigorous testing guarantees Parklex's excellent performance. \_\_Rigurosas pruebas garantizan el buen comportamiento de Parklex.





Catalogue printed in Pamplona \_\_Catálogo impreso en Pamplona  
**August 2012 \_\_Agosto 2012**

**Printed by \_\_Imprime**  
Gráficas Ulzama

**Inner paper \_\_Papel interior:** Fedrigoni Sirio White 130 grs.  
**Cover \_\_Cubierta:** Fedrigoni Sirio White 350 grs.



**Parklex<sup>®</sup>**